



## SALE OF ADULTERATED OR EXPORT BOUND MOTOR FUELS IN THE LOCAL MARKET

The Energy Regulatory Commission is mandated under Section 95 of the Energy Act 2006 to monitor petroleum products offered for sale in the local market with the aim of preventing motor fuel adulteration or dumping of export bound fuels. In this regard, the Commission undertakes a program of continuous monitoring of the quality of petroleum motor fuels being sold throughout the country.

During the months of January to February 2016, the non-compliant stations and their particular offenses are listed here under:

	Test Date	Station Name	County	Physical Location	Nature of Non-compliance	Status as at 29 <sup>th</sup> February 2016
1.	11.01.2016	Total Sagana Service Station	Kirinyaga	Kirinyaga West Sub-County, Sagana Town	Offering for sale diesel contaminated with kerosene	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 600,000.</b>
2.	11.01.2016	Sagana Filling Station	Kirinyaga	Kirinyaga West Sub-County, Mutithi Town	Offering for sale diesel contaminated with kerosene	Station closed
3.	11.01.2016	Star Energy Service Station	Kirinyaga	Kirinyaga West Sub-County, Kibingoti Town	Offering for sale diesel contaminated with kerosene	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 300,000.</b>
4.	12.01.2016	Vaicom Oil (K) Limited Service Station	Nyeri	Nyeri South Sub-County, Othaya Town	1) Offering for sale motor gasoline contaminated with kerosene 2) Offering for sale diesel contaminated with kerosene	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 500,000.</b>
5.	13.01.2016	Petromark Filling Station	Kisumu	Kisumu West Sub-County, Dago Area	1) Offering for sale motor gasoline contaminated with kerosene	Station closed

	Test Date	Station Name	County	Physical Location	Nature of Non-compliance	Status as at 29 <sup>th</sup> February 2016
					2) Offering for sale diesel contaminated with kerosene	
6.	15.01.2016	Gilmark Filling Station	Kakamega	Vihiga Sub-County, Emuhaya, Luanda Town	Offering for sale transit (export bound) Diesel	Station closed
7.	15.01.2016	Ndovu Luanda Filling Station	Kakamega	Vihiga Sub-County, Emuhaya, Luanda Town	Offering for sale motor gasoline contaminated with kerosene	Station closed
8.	19.01.2016	Kathima Filling Station	Meru	Buuri Sub-County, Maili Saba Town	Offering for sale motor gasoline contaminated with kerosene	Station closed
9.	20.01.2016	Wamo Filling Station	Kakamega	Mumias Sub-County, Musanda Town	Offering for sale motor gasoline contaminated with kerosene	Station closed
10.	20.01.2016	Kwetu Service Station	Meru	Igembe North Sub-County, Muringene Town	Offering for sale transit (export bound) Diesel	Station closed
11.	20.01.2016	SKT Energy Filling Station	Meru	Buuri Sub-County, Kiirua Town	1) Offering for sale diesel contaminated with kerosene 2) Offering for sale transit (export bound) Diesel	Station closed
12.	21.01.2016	Apex One Service Station	Meru	Buuri Sub-County, Kiirua Town	1) Offering for sale motor gasoline contaminated with kerosene 2) Offering for sale diesel contaminated with kerosene 3) Offering for sale transit (export bound) motor gasoline 4) Offering for sale transit (export bound) Diesel	Station closed
13.	09.02.2016	Shell Kisii Service Station	Kisii	Kisii Central Sub-County, Kisii Town	Offering for sale motor gasoline contaminated with kerosene	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 300,000.</b>

	Test Date	Station Name	County	Physical Location	Nature of Non-compliance	Status as at 29 <sup>th</sup> February 2016
14.	09.02.2016	Florida (Unique Daima) Filling Station	Nyamira	Nyamira Sub-County, Nyamira Town	1) Offering for sale diesel contaminated with kerosene 2) Offering for sale transit (export bound) Diesel	Station closed
15.	09.02.2016	Taag Service Station	Machakos	Matungulu Sub-County, Tala Town	Offering for sale transit (export bound) motor gasoline	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 175,884.</b>
16.	10.02.2016	Skyway Filling Station	Migori	Migori Sub-County, Migori Town	Offering for sale motor gasoline contaminated with kerosene	Station closed
17.	10.02.2016	Uriri Filling Station	Migori	Uriri Sub-County, Uriri Town	1) Offering for sale motor gasoline contaminated with kerosene 2) Offering for sale transit (export bound) motor gasoline	Station closed
18.	10.02.2016	Maningi Filling Station	Migori	Uriri Sub-County, Uriri Town	Offering for sale transit (export bound) motor gasoline	Station closed
19.	11.02.2016	Togo Filling Station	Machakos	Yatta Sub-County, Matuu Town	Offering for sale transit (export bound) motor gasoline	Station reopened after upgrading the product and paying taxes and penalties amounting to <b>KShs 211,739.</b>
20.	11.02.2016	Mwanainchi Filling Station	Kisii	Gucha South Sub-County, Nyachenge Town	Offering for sale transit (export bound) motor gasoline	Station closed
21.	16.02.2016	Quality Petroleum (QP) Service Station	Tharaka Nithi	Igamba Ng'ombe Sub-County, Chuka Town	Offering for sale diesel contaminated with kerosene	Station closed

Respective County Commissioners were requested to withdraw the licenses of operators of the defaulting outlets. Further, the defaulting operators were required upgrade the adulterated petroleum where applicable and also to pay penalties and taxes prescribed under the applicable tax laws before consideration for resumption of business.

The Commission maintains a hotline number (0708 444 000), operational during normal working hours, to enhance enforcement and compliance activities.

**Corporate Communication**  
**Energy Regulatory Commission**